



FlowShield[®]

Leak Nahi. Sab Sahi.

BY  Sparsh
—PEARL



PIPES & FITTINGS















VOL. 2.2



FlowShield by Sparsh Pearl is the best quality brand of CPVC, UPVC, AGRI & SWR Pipes for Plumbers who are into Progressive Plumbing in India because of its unique Technology driven, Leakproof Inhouse Manufacturing, 100% Virgin Raw Material which is Non-Adulterated and made from imported raw material that offers Profit on Incremental Investment, Ease Of Fixation which have already benefited many plumbers as shown by.

Leak Nahi. Sab Sahi.

- | | |
|---|--|
|  Best | <input checked="" type="checkbox"/> Design Sahi |
|  No Leakage | <input checked="" type="checkbox"/> Quality Sahi |
|  Fire Resistant | <input checked="" type="checkbox"/> Usage Sahi |
|  Ease of Fixation | <input checked="" type="checkbox"/> Fitting Sahi |
|  Anti Bacterial In Nature | <input checked="" type="checkbox"/> Hygiene Sahi |
|  100% Virgin Raw Material | <input checked="" type="checkbox"/> Purity Sahi |
|  In House Manufacturing | <input checked="" type="checkbox"/> Process Sahi |
|  Safe Drinking Directly From Pipes | <input checked="" type="checkbox"/> Safety Sahi |
|  Fully Automated; German  and Italian  CNC Extruders | <input checked="" type="checkbox"/> Machinery Sahi |
|  Imported Raw Material | <input checked="" type="checkbox"/> Material Sahi |

Tabhi To Kahte Hai



Leak Nahi. Sab Sahi.

CPVC PLUMBING SYSTEM

FOR HOT AND COLD WATER

HIGHLIGHT OF THE PRODUCTS



Lead Free



Free From Toxicity, Odour & Tastes



UV Resistant



No Corrosion,
Leakage, Scaling
& Pitting



Fire Resistant



Bacterial Resistant



Easy to Install



Maintenance Free



CPVC MASTER[™]

ISI 15778




CML 8800109813

CPVC SDR 11 PIPES MANUFACTURED AS PER ISI 15778:2007

SDR - 11 (Pipe 3 Mtrs. Length)


HSN Code: 39172390



Cat No.	Size (MM)	Size (IN)	Std Pkg.
CMP1103015	15	½"	50
CMP1103020	20	¾"	50
CMP1103025	25	1"	25
CMP1103032	32	1 ¼"	15
CMP1103040	40	1 ½"	10
CMP1103050	50	2"	10

SDR - 11 (Pipe 5 Mtrs. Length)

HSN Code: 39172390




Cat No.	Size (MM)	Size (IN)	Std Pkg.
CMP1105015	15	½"	50
CMP1105020	20	¾"	50
CMP1105025	25	1"	25
CMP1105032	32	1 ¼"	15
CMP1105040	40	1 ½"	10
CMP1105050	50	2"	10

CPVC SDR 13.5 PIPES MANUFACTURED AS PER ISI 15778:2007

SDR - 13.5 (Pipe 3 Mtrs. Length)


HSN Code: 39172390



Cat No.	Size (MM)	Size (IN)	Std Pkg.
CMP13503015	15	½"	50
CMP13503020	20	¾"	50
CMP13503025	25	1"	25
CMP13503032	32	1 ¼"	15
CMP13503040	40	1 ½"	10
CMP13503050	50	2"	10

SDR - 13.5 (Pipe 5 Mtrs. Length)


HSN Code: 39172390



Cat No.	Size (MM)	Size (IN)	Std Pkg.
CMP13505015	15	½"	50
CMP13505020	20	¾"	50
CMP13505025	25	1"	25
CMP13505032	32	1 ¼"	15
CMP13505040	40	1 ½"	10
CMP13505050	50	2"	10


CPVC FITTINGS MANUFACTURED AS PER ASTM D2846:2007

Coupler Plain




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF01000015	15	½"	100	800
CMF01000020	20	¾"	100	600
CMF01000025	25	1"	50	300
CMF01000032	32	1 ¼"	12	240
CMF01000040	40	1 ½"	10	140
CMF01000050	50	2"	5	50

Elbow 90 Degree Plain



Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF02000015	15	½"	100	500
CMF02000020	20	¾"	100	300
CMF02000025	25	1"	50	200
CMF02000032	32	1 ¼"	10	150
CMF02000040	40	1 ½"	10	80
CMF02000050	50	2"	5	40

Bend 45 Degree Plain




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF03000020	20	¾"	25	200
CMF03000025	25	1"	25	300
CMF03000032	32	1 ¼"	10	60
CMF03000040	40	1 ½"	10	40

Reducer Elbow 90 Degree




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF04020015	20x15	¾" x ½"	100	300
CMF04025020	25x20	1 x ¾"	25	300

Tee 90 Degree Plain




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF05000015	15	½"	100	400
CMF05000020	20	¾"	50	300
CMF05000025	25	1"	25	52
CMF05000032	32	1 ¼"	10	60
CMF05000040	40	1 ½"	10	60
CMF05000050	50	2"	4	20

Reducer Tee 90 Degree Plain




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF06020015	20x15	¾" x ¾" x ½"	50	300
CMF06025020	25x20	1" x 1" x ¾"	25	150
CMF06032020	32x20	1 ¼" x 1 ¼" x ¾"	25	100
CMF06032025	32x25	1 ¼" x 1 ¼" x 1"	10	100
CMF06040020	40x20	1 ½" x 1 ½" x ¾"	10	60
CMF06040025	40x25	1 ½" x 1 ½" x 1"	10	60

End Cap Plain




Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
CMF08000015	15	½"	100	1200
CMF08000020	20	¾"	50	1000
CMF08000025	25	1"	50	600
CMF08000032	32	1 ¼"	10	100


Cross Tee 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF07000020	20	¾"	25	100
	CMF07000025	25	1"	25	100
	CMF07000032	32	1 ¼"	10	50


Male Adaptor Plastic Threaded (MAPT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF10000015	15	½"	100	600
	CMF10000020	20	¾"	100	400
	CMF10000025	25	1"	50	250
	CMF10000032	32	1 ¼"	10	180
	CMF10000040	40	1 ½"	10	100

Female Adaptor Plastic Threaded (FAPT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF11000015	15	½"	50	800
	CMF11000020	20	¾"	50	400
	CMF11000025	25	1"	25	250
	CMF11000032	32	1 ¼"	10	150
	CMF11000040	40	1 ½"	10	100


Union

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF14000020	20	¾"	10	150
	CMF14000025	25	1"	10	100
	CMF14000032	32	1 ¼"	10	80
	CMF14000040	40	1 ½"	10	80


Reducer Male Threaded Adaptor (MTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF17020015	20x15	¾" x ½"	100	800
	CMF17025020	25x20	1 x ¾"	50	400


Ball Valve

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	CMEBV010015	15	½"	48
	CMEBV010020	20	¾"	48
	CMEBV010025	25	1"	48
	CMEBV010032	32	1 ¼"	12
	CMEBV010040	40	1 ½"	12
	CMEBV010050	50	2"	10


Long Bend

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF32000020	20	¾"	5	140
	CMF32000025	25	1"	5	80
	CMF32000032	32	1 ¼"	5	50
	CMF32000040	40	1 ½"	5	30
	CMF32000050	50	2"	2	16


Reducer Bush Plain

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF09020015	20x15	¾" x ½"	100	500
	CMF09025020	25x20	1" x ¾"	50	600
	CMF09032020	32x20	1 ¼" x ¾"	25	150
	CMF09032025	32x25	1 ¼" x 1"	25	300
	CMF09040025	40x25	1 ½" x 1"	10	100


Tank Nipple (THD x THD)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF12000020	20	¾"	25	150
	CMF12000025	25	1"	10	100
	CMF12000032	32	1 ¼"	10	30
	CMF12000040	40	1 ½"	10	20


Tank Nipple with One Side Pipe Fitment (THD x SOC)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF13000020	20	¾"	10	100
	CMF13000025	25	1"	10	100
	CMF13000032	32	1 ¼"	10	40


Reducer

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF15025020	25x20	1" x ¾"	50	500
	CMF15032020	32x20	1 ¼" x ¾"	20	240
	CMF15032025	32x25	1 ¼" x 1"	20	240
	CMF15040020	40x20	1 ½" x ¾"	10	140
	CMF15040025	40x25	1 ½" x 1"	10	120


Step Over Bend

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF18000020	20	¾"	20	100
	CMF18000025	25	1"	10	60

Ball Valve Handle

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag
	CMEBVHA0015	15	½"	5
	CMEBVHA0020	20	¾"	5
	CMEBVHA0025	25	1"	5
	CMEBVHA0032	32	1 ¼"	5
	CMEBVHA0040	40	1 ½"	5
	CMEBVHA0050	50	2"	5

Reducer Female Threaded Adaptor (FTA) - Plastic Nut

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF29020015	20x15	¾" x ½"	25	200

CPVC FITTINGS - BRASS


Brass Elbow 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF24015015	15x15	½" x ½"	50	200
	CMF24020015	20x15	¾" x ½"	25	150
	CMF24020020	20x20	¾" x ¾"	25	100
	CMF24025025	25x25	1" x 1"	25	50
	CMF24025020	25x20	1" x ¾"	25	100
	CMF24025015	25x15	1" x ½"	25	100


Brass Tee 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF25015015	15x15	½" x ½" x ½"	50	200
	CMF25020015	20x15	¾" x ¾" x ½"	25	100
	CMF25020020	20x20	¾" x ¾" x ¾"	25	100
	CMF25025015	25x15	1" x 1" x ½"	25	75
	CMF25025020	25x20	1" x 1" x ¾"	25	50
	CMF25025025	25x25	1" x 1" x 1"	25	50


Male Adaptor Brass Threaded (MABT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF26000020	20	¾"	25	150
	CMF26000025	25	1"	10	80
	CMF26000032	32	1¼"	4	40
	CMF26000040	40	1½"	5	30


Female Adaptor Brass Threaded (FABT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF27000020	20	¾"	25	150
	CMF27000025	25	1"	10	80
	CMF27000032	32	1¼"	5	40
	CMF27000040	40	1½"	5	30


Male Adaptor Brass Threaded (Non Hex)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF35000015	15	½"	25	150
	CMF35000020	20	¾"	25	150
	CMF35000025	25	1"	25	150
	CMF35000032	32	1¼"	20	100


Female Adaptor Brass Threaded (Non Hex)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF33000015	15	½"	25	150
	CMF33000020	20	¾"	25	150
	CMF33000025	25	1"	25	150
	CMF33000032	32	1¼"	20	100

Brass Reducer Female Threaded Adaptor (FTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF28020015	20x15	¾" x ½"	25	150
	CMF28025015	25x15	1" x ½"	25	150
	CMF28025020	25x20	1" x ¾"	25	150

Brass Reducer Male Threaded Adaptor (MTA) -HEXA Nut

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF31020015	20x15	¾" x ½"	25	150
	CMF31025015	25x15	1" x ½"	25	100
	CMF31025020	25x20	1" x ¾"	25	100

Brass Reducer Male Threaded Adaptor (Non Hex)


	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	CMF34020015	20x15	¾" x ½"	25	150

Solvent Cement


	Cat No.	Packing	Size (ML)	Small Box Qty.	Master Box Qty.
	CMSCMD0059	TIN	59	30	240
	CMSCMD0118	TIN	118	24	144
	CMSCMD0237	TIN	237	24	96




PVC Plug

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	AP-229	15	½"	100	600

Teflon Tape

	Cat No.	Small Box Qty.	Master Box Qty.
	TFT-1220	250	1000

CPVC Metal Clamps

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	AP-240	15	½"	100
	AP-241	20	¾"	100
	AP-242	25	1"	50
	AP-243	32	1¼"	50
	AP-244	40	1½"	50
	AP-245	50	2"	25

CPVC Concealed Stop Cock

Cat No.	Size (MM)	Size (IN)	S. Box Qty.	M. Box Qty.
DRS-2139	15	½"	12	24
PLU-407	15	½"	12	24
BRE-1041	15	½"	12	24
GPR-906	20	¾"	12	24



Cat.No.: DRS-2139



Cat.No.: PLU-407



Cat.No.: BRE-1041




Cat.No.: GPR-906

CPVC SOLVENT CEMENT

Best in Class Bondage Strength with Flowshield Solvents.




SPECIAL UV IDENTIFICATION INDICATOR TO CHECK AUTHENTICITY




UV Light on
Other Brand Solvent



No Change



UV Light on
FlowShield Solvent



Glow
Neon-Green
Color

For Best Result: - The combination of FlowShield's complete system (Pipe, Fitting & Solvent cement) is mandatory.

It has been seen on many occasions that while installing pipes, customers use FlowShield Pipes & Fittings, but Solvent cement is used of some other company or brand, due to which leakage occurs.

To ensure that whether Solvent Cement of FlowShield has been used or not, we have done a patent technology tie-up with a US based company.

So, as highlighted above in picture when UV light cast on Pipe Fittings using FlowShield Solvent Cement, a neon-green light is displayed while if any other solvent cement is used, the green light will not be displayed.

Always use FlowShield combination (Pipe, Fitting & Solvent cement) to get leakage free experience.

UPVC PLUMBING SYSTEM

FOR COLD WATER

HIGHLIGHT OF THE PRODUCTS



Lead Free



Free From Toxicity, Odour & Tastes



UV Resistant



No Corrosion,
Leakage, Scaling
& Pitting



Fire Resistant



Bacterial Resistant



Easy to Install




Maintenance Free



Strong & Durable
for Long-Term Use

UPVC MASTER[™]



UPVC SCH 40 / SCH 80 PIPES MANUFACTURED AS PER ASTM D1785

SCH - 40 (Pipe 3 Mtrs. Length)

HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)	Std. Pkg.
UMP4003015	15	½"	50
UMP4003020	20	¾"	40
UMP4003025	25	1"	25
UMP4003032	32	1¼"	20
UMP4003040	40	1½"	15
UMP4003050	50	2"	10

SCH - 40 (Pipe 6 Mtrs. Length)

HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)	Std. Pkg.
UMP4006015	15	½"	30
UMP4006020	20	¾"	20
UMP4006025	25	1"	15
UMP4006032	32	1¼"	10
UMP4006040	40	1½"	10
UMP4006050	50	2"	6

SCH - 80 (Pipe 3 Mtrs. Length)

HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)	Std. Pkg.
UMP8003015	15	½"	50
UMP8003020	20	¾"	40
UMP8003025	25	1"	25
UMP8003032	32	1¼"	20
UMP8003040	40	1½"	15
UMP8003050	50	2"	10

SCH - 80 (Pipe 6 Mtrs. Length)

HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)	Std. Pkg.
UMP8006015	15	½"	30
UMP8006020	20	¾"	20
UMP8006025	25	1"	15
UMP8006032	32	1¼"	10
UMP8006040	40	1½"	10
UMP8006050	50	2"	6

UPVC FITTINGS SCHEDULE - 40 | HSN CODE: 39174000

Coupler Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF01040020	20	¾"	50	400
UMF01040025	25	1"	12	240

Elbow 90 Degree Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF02040020	20	¾"	50	300
UMF02040025	25	1"	25	150

Tee 90 Degree Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF05040020	20	¾"	50	150
UMF05040025	25	1"	10	100

UPVC FITTINGS SCHEDULE - 80 | HSN CODE: 39174000

Coupler Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF01080015	15	½"	100	500
UMF01080020	20	¾"	50	400
UMF01080025	25	1"	12	240
UMF01080032	32	1¼"	10	120
UMF01080040	40	1½"	10	100
UMF01080050	50	2"	6	60

Elbow 90 Degree Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF02080015	15	½"	100	400
UMF02080020	20	¾"	25	150
UMF02080025	25	1"	25	150
UMF02080032	32	1¼"	10	80
UMF02080040	40	1½"	10	50
UMF02080050	50	2"	5	40

Bend 45 Degree Plain

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF03080015	15	½"	100	500
UMF03080020	20	¾"	50	300
UMF03080025	25	1"	25	150
UMF03080032	32	1¼"	10	100

Reducer Elbow 90 Degree

Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
UMF04802015	20 x 15	¾" x ½"	50	300
UMF04802515	25 x 15	1" x ½"	25	150
UMF04802520	25 x 20	1" x ¾"	25	150


Tee 90 Degree Plain

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF05080015	15	½"	50	300
	UMF05080020	20	¾"	25	150
	UMF05080025	25	1"	10	100
	UMF05080032	32	1¼"	5	50
	UMF05080040	40	1½"	5	40
	UMF05080050	50	2"	4	20


Reducer Tee 90 Degree Plain

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF06802015	20 x 15	¾" x ½"	25	150
	UMF06802515	25 x 15	1" x ½"	25	100
	UMF06802520	25 x 20	1" x ¾"	10	100
	UMF06803215	32 x 15	1¼" x ½"	10	60
	UMF06803220	32 x 20	1¼" x ¾"	10	50
	UMF06803225	32 x 25	1¼" x 1"	10	50

Cross Tee 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF07080015	15	½"	25	200
	UMF07080020	20	¾"	25	150
	UMF07080025	25	1"	10	50


End Cap Plain

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF08080015	15	½"	100	1000
	UMF08080020	20	¾"	100	600
	UMF08080025	25	1"	50	300
	UMF08080032	32	1¼"	10	200


Reducer Bushing Plain

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF09802015	20 x 15	¾" x ½"	100	800
	UMF09802515	25 x 15	1" x ½"	50	500
	UMF09802520	25 x 20	1" x ¾"	50	500
	UMF09803215	32 x 15	1¼" x ½"	10	200
	UMF09803220	32 x 20	1¼" x ¾"	10	100
	UMF09803225	32 x 25	1¼" x 1"	10	100


Male Adaptor Plastic Threaded (MAPT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF10080015	15	½"	50	600
	UMF10080020	20	¾"	50	400
	UMF10080025	25	1"	50	200
	UMF10080032	32	1¼"	10	100

Female Adaptor Plastic Threaded (FAPT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF11080015	15	½"	50	500
	UMF11080020	20	¾"	50	400
	UMF11080025	25	1"	50	200
	UMF11080032	32	1¼"	10	100


Tank Nipple with One Side Pipe Fitment (THD x SOC)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF13800015	15	½"	50	300
	UMF13800020	20	¾"	25	150
	UMF13800025	25	1"	10	100
	UMF13800032	32	1¼"	10	60


Reducer

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF15802015	20 x 15	¾" x ½"	50	400
	UMF15802515	25 x 15	1" x ½"	20	200
	UMF15802520	25 x 20	1" x ¾"	20	200
	UMF15803215	32 x 15	1¼" x ½"	20	200
	UMF15803220	32 x 20	1¼" x ¾"	20	200
	UMF15803225	32 x 25	1¼" x 1"	20	200


Union

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF14080015	15	½"	25	250
	UMF14080020	20	¾"	10	150
	UMF14080025	25	1"	10	100
	UMF14080032	32	1¼"	10	60


Reducer Male Threaded Adaptor (MTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF17802015	20 x 15	¾" x ½"	50	500
	UMF17802515	25 x 15	1" x ½"	40	320
	UMF17802520	25 x 20	1" x ¾"	40	320


Reducer Female Threaded Adaptor (FTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF29802015	20 x 15	¾" x ½"	50	400
	UMF29802515	25 x 15	1" x ½"	25	150
	UMF29802520	25 x 20	1" x ¾"	25	150


Non Return Valve (NRV)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMFNRV80020	20	¾"	10	60
	UMFNRV80025	25	1"	10	30

Step Over Bend


	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF18080015	15	½"	5	75
	UMF18080020	20	¾"	5	75
	UMF18080025	25	1"	5	50
	UMF18080032	32	1¼"	3	30

Long Bend


	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF32080015	15	½"	5	160
	UMF32080020	20	¾"	5	85
	UMF32080025	25	1"	5	50
	UMF32080032	32	1¼"	3	30

Ball Valve

HSN CODE: 84818090

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	UMFBV080015	15	½"	48
	UMFBV080020	20	¾"	48
	UMFBV080025	25	1"	48
	UMFBV080032	32	1¼"	12
	UMFBV080040	40	1½"	12
	UMFBV080050	50	2"	10

Ball Valve Handle

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag
	UMEBVHA8015	15	½"	5
	UMEBVHA8020	20	¾"	5
	UMEBVHA8025	25	1"	5
	UMEBVHA8032	32	1¼"	5
	UMEBVHA8040	40	1½"	5
	UMEBVHA8050	50	2"	5

UPVC FITTINGS - BRASS


Brass Elbow 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF24801515	15 x 15	½" x ½"	25	150
	UMF24802015	20 x 15	¾" x ½"	25	150
	UMF24802515	25 x 15	1" x ½"	25	75
	UMF24802020	20 x 20	¾" x ¾"	10	50
	UMF24802520	25 x 20	1" x ¾"	25	75
	UMF24802525	25 x 25	1" x 1"	10	50


Brass Tee 90 Degree

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF25801515	15 x 15	½" x ½"	25	100
	UMF25802015	20 x 15	¾" x ½"	25	75
	UMF25802020	20 x 20	¾" x ¾"	25	50
	UMF25802515	25 x 15	1" x ½"	25	50
	UMF25802520	25 x 20	1" x ¾"	25	50
	UMF25802525	25 x 25	1" x 1"	10	40


Male Adaptor Brass Threaded (MABT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF26080015	15	½"	25	250
	UMF26080020	20	¾"	25	150
	UMF26080025	25	1"	10	70
	UMF26080032	32	1¼"	10	40


Female Adaptor Brass Threaded (FABT)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF27080015	15	½"	25	200
	UMF27080020	20	¾"	25	150
	UMF27080025	25	1"	25	75
	UMF27080032	32	1¼"	10	40

Brass Reducer Female Threaded Adaptor (FTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF28802015	20 x 15	¾" x ½"	25	150
	UMF28802515	25 x 15	1" x ½"	25	100
	UMF28802520	25 x 20	1" x ¾"	25	150

Brass Reducer Male Threaded Adaptor (MTA)

	Cat No.	Size (MM)	Size (IN)	Qty. in Polybag	Box Qty.
	UMF31802015	20 x 15	¾" x ½"	25	150
	UMF31802515	25 x 15	1" x ½"	25	100
	UMF31802520	25 x 20	1" x ¾"	25	150




UPVC SOLVENT CEMENT

(Suitable for ½" to 2" - SCH 40 & SCH 80)

HSN CODE: 35069999

	Cat No.	Packing	Size (ML)	Small Box Qty.	Master Box Qty.
	UMSCMD0059	TIN	59	30	240
	UMSCMD0118	TIN	118	24	144
	UMSCMD0237	TIN	237	24	96

Metal Strap Clamps

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	AP-230	15	½"	100
	AP-231	20	¾"	100
	AP-232	25	1"	50
	AP-233	32	1¼"	50
	AP-234	40	1½"	50
	AP-235	50	2"	25

AGRI & SWR PLUMBING SYSTEM

PVC PIPING SYSTEM FOR POTABLE WATER TRANSPORTATION

HIGHLIGHT OF THE PRODUCTS



Lead Free



Bacterial Resistant



Maintenance Free



UV Resistant



Easy to Install



Strong & Durable
for Long-Term Use



No Corrosion,
Leakage, Scaling
& Pitting



Fire Resistant

AGRI MASTER[™]

ISI 4985



CML 8800116818

SWR MASTER[™]

ISI 13592



CML 8800118014



AGRI PRESSURE PIPES MANUFACTURED AS PER ISI : 4985

4 Kgf/cm² (6 Mtr. Length) 20 Feet - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)
AMP04060063	63
AMP04060075	75
AMP04060090	90
AMP04060110	110
AMP04060160	160

6 Kgf/cm² (6 Mtr. Length) 20 Feet - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)
AMP06060063	63
AMP06060075	75
AMP06060090	90
AMP06060110	110
AMP06060160	160

SWR RUBER RINGFIT PIPES MANUFACTURED AS PER ISI : 13592 : 2013

SWR Ruber Ringfit Pipes Type A (3 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPRRA03075	75	2½"
SMPRRA03090	90	3"
SMPRRA03110	110	4"
SMPRRA03160	160	6"

SWR Ruber Ringfit Pipes Type A (6 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPRRA06075	75	2½"
SMPRRA06090	90	3"
SMPRRA06110	110	4"
SMPRRA06160	160	6"

SWR Ruber Ringfit Pipes Type B (3 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPRRB03075	75	2½"
SMPRRB03090	90	3"
SMPRRB03110	110	4"
SMPRRB03160	160	6"

SWR Ruber Ringfit Pipes Type B (6 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPRRB06075	75	2½"
SMPRRB06090	90	3"
SMPRRB06110	110	4"
SMPRRB06160	160	6"

SWR SELFIT PIPES MANUFACTURED AS PER ISI : 13592 : 2013

SWR Selfit Pipes Type A (3 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPA0300075	75	2½"
SMPA0300090	90	3"
SMPA0300110	110	4"
SMPA0300160	160	6"

SWR Selfit Pipes Type A (6 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPA0600075	75	2½"
SMPA0600090	90	3"
SMPA0600110	110	4"
SMPA0600160	160	6"

SWR Selfit Pipes Type B (3 Mtr) - ISI Marked HSN Code: 39172390

Cat No.	Size (MM)	Size (IN)
SMPB0300075	75	2½"
SMPB0300090	90	3"
SMPB0300110	110	4"
SMPB0300160	160	6"

SWR Selfit Pipes Type B (6 Mtr) - ISI Marked HSN Code: 39172390


Cat No.	Size (MM)	Size (IN)
SMPB0600075	75	2½"
SMPB0600090	90	3"
SMPB0600110	110	4"
SMPB0600160	160	6"

AGRI & SWR FITTINGS


Elbow 90 Degree (2 Side Socket) - LW

	Cat No.	Size (MM)	Box Qty.
	AMF02040063	63	120
	AMF02040075	75	65
	AMF02040090	90	48
	AMF02040110	110	42


Elbow 90 Degree (PN6) - Heavy

	Cat No.	Size (MM)	Box Qty.
	AMF03060063	63	64
	AMF03060075	75	36
	AMF03060090	90	48
	AMF03060110	110	32


Tee 90 Degree (3 Side Socket) - LW

	Cat No.	Size (MM)	Box Qty.
	AMF07040063	63	84
	AMF07040075	75	84
	AMF07040090	90	32

Tee 90 Degree Plain (PN6) - Heavy

	Cat No.	Size (MM)	Box Qty.
	AMF08060090	90	32
	AMF08060110	110	24


Reducing Tee 90 Degree Plain - Heavy

	Cat No.	Size (MM)	Box Qty.
	AMF11611090	110x90	18


Coupler - 4 Kgf/cm²

	Cat No.	Size (MM)	Box Qty.
	AMF01040075	75	40
	AMF01040090	90	45
AMF01040110	110	48	


End Cap Plain - 6 Kgf/cm²

	Cat No.	Size (MM)	Box Qty.
	AMF06060063	63	200
	AMF06060075	75	100
	AMF06060090	90	75
	AMF06060110	110	90


Reducer - 6 Kgf/cm²

	Cat No.	Size (MM)	Box Qty.
	AMF14611075	110x75	45
	AMF14611090	110x90	42


Bend 87.5 Degree (Elbow)

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF01000110	110	4"	24


Bend 87.5 Degree (Elbow with Door)

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF02000110	110	4"	20


Bend 45 Degree

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF07000075	75	2½"	60
	SMF07000090	90	3"	40
	SMF07000110	110	4"	27


Single Tee

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF03000110	110	4"	26


Single Tee with Door

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF04000110	110	4"	18


Reducing Tee

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF05011075	110x75	4" x 2½"	19


Reducing Tee with Door

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF06011075	110x75	4" x 2½"	14


Nahani Trap without Jali (Single Piece)

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF10011090	110x90	4" x 3"	32
	SMF10110110	110x110	4" x 4"	24


Nahani Trap without Jali

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF09011075	110x75	4" x 2½"	40


P-Trap

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF11110110	110x110	4" x 4"	12
	SMF11110125	110x125	4" x 4½"	12


Single Y

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF12000110	110	4"	16


Single Y with Door

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF13000110	110	4"	10

Door Cap


	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF14000090	90	3"	100
	SMF14000110	110	4"	100

Vent Cowl


	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMF15000075	75	2½"	105
	SMF15000090	90	3"	162
	SMF15000110	110	4"	105

SWR RUBER RINGFIT FITTINGS


Bend 87.5 Degree (Elbow)

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR01000075	75	2½"	80
	SMFR01000110	110	4"	27


Single Tee

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR03000075	75	2½"	48
	SMFR03000110	110	4"	20


Bend 87.5 Degree (Elbow with Door)

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR02000075	75	2½"	75
	SMFR02000110	110	4"	30


Single Tee with Door

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR04000110	110	4"	16


Bend 45 Degree

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR07000075	75	2½"	60
	SMFR07000110	110	4"	27


Reducing Tee

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR05110075	110x75	4" x 2½"	18


Single Y

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR12000075	75	2½"	50
	SMFR12000110	110	4"	16

Reducer

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR14110075	110x75	4" x 2½"	45

Coupler

	Cat No.	Size (MM)	Size (IN)	Box Qty.
	SMFR16000075	75	2½"	64
	SMFR16000110	110	4"	45

AGRI/SWR SOLVENT CEMENT

Solvent Cement

	Cat No.	Packing	Size (ML)	Box Qty.
	AMSCMD00100	TIN	100	190
	AMSCMD00250	TIN	250	96
	AMSCMD00500	TIN	500	48



 **FlowShield**®

BY

 **Sparsh**
—PEARL

TERMS & CONDITIONS:

1. All disputes are subject to Noida jurisdiction only.



Trust.. Value.. Commitment

Manufactured & Marketed By:

PRECISION SANITARY PRODUCTS PVT. LTD.

B-86, Sector 80, Noida, Uttar Pradesh, India-201305

E-mail : enquiry@pproducts.in

Website : www.pearlprecisionproducts.com

Call us at : 0120-4219233/35